

FINISHED PRODUCT CERTIFICATE OF ANALYSIS			
Product Name:	VEDayu PCOS Balance		
Brand Name:	VEDayu PCOS Balance	Product Code:	KNC020
Batch No:	VED2520	Batch Size:	50,000 Tablets
Mfg. Date:	02/2025	Expiry Date:	01/2027
Sample Size:	100 Tablets	Reference:	In house

Sr.No.	Test	Result	Specification
<b>1.</b>	<b>Physical Test</b>		
1.1	Description	Complies	Golden yellowish coloured oval shaped biconvex coated tablet with one side break line and other side plain.
1.2	Average Weight(filled Content)	1024.21 mg	1000.0 mg $\pm$ 5%
1.3	Disintegration time	9 min.02 sec.	NMT 15 minutes
<b>2.</b>	<b>Microbiological Test</b>		
2.1	Total aerobic microbial count	Complies	NMT $3 \times 10^3$ cfu/g
2.2	Combined moulds and yeasts counts	Complies	NMT $3 \times 10^2$ cfu/g
2.3	E. Coli	Complies	Absent
2.4	Salmonella	Complies	Absent
2.5	Staphylococcus aureus	Complies	Absent
<b>3.</b>	<b>Heavy Metals Test</b>		
3.1	Lead	Complies	NMT 10 ppm
3.2	Arsenic	Complies	NMT 5 ppm
3.3	Mercury	Complies	NMT 0.5 ppm
3.4	Cadmium	Complies	NMT 0.3 ppm

In the opinion of the undersigned, the product sample referred to above is of standard quality as defined in the Act and Rules made thereunder for the reasons given above.



	Prepared by (Q.C. Chemist)	Checked by (Q.A. Executive)	Approved by (Q.A. Head)
Signature:	V. Patel	Priyank P.	Arpit
Name:	Vandan Patel	Priyank Patel	Arpit Patel
Date:	02/2025	02/2025	02/2025